

Notice of Allowability

Application No.

09/940,438

Examiner

Ngoc-Yen M. Nguyen

Applicant(s)

SCHUBERT ET AL.

Art Unit

1754

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 4/23/2004.
2. ☒ The allowed claim(s) is/are 1-3 and 6-20.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some* c) ☐ None of the:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Ngoc-Yen M. Nguyen
Primary Examiner
Art Unit: 1754

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Daniel Evans on June 16, 2004.

The application has been amended as follows:

Claim 10 (amended): A process for preparing aluminum-doped precipitated silica, comprising:

- a) heating a mixture of water and sodium silicate at a temperature of from 70 to 86°C and adding sulfuric acid until half of the sodium silicate is neutralized; next
 - b) aging the mixture for a time of from 30 to 120 minutes; next
 - c) adjusting the pH of the mixture with sulfuric acid to a range of from 3.0 to 7.0, thereby precipitating the aluminum-doped silica; next
 - d) filtering the aluminum-doped silica from the mixture to form a filtercake and washing the filtercake; next
 - e) drying and/or grinding the washed filtercake,
- wherein an aluminum salt solution is metered into the mixture at step a) and/or step c), the precipitated aluminum-doped silica has a BET surface of more than 300

Art Unit: 1754

m²/g, an Al₂O₃ content of from 0.05 to 0.25% by weight, and the aluminum is distributed uniformly in the aluminum-doped silica.

Since the product claims are allowable, the remaining claims are rejoined.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ngoc-Yen M. Nguyen whose telephone number is (571) 272-1356. The examiner is currently on Part time schedule.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Stan Silverman can be reached on (571) 272-1358. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed (571) 272-1700.



Ngoc-Yen M. Nguyen
Primary Examiner
Art Unit 1754

nmn
June 27, 2004